

W1 compact and ergonomic industrial vacuum cleaner | DU-PUY

INDUSTRIAL VACUUM CLEANERS



- ✓ Accessories included, ideal for cleaning professionals.
- ✓ Compact and portable industrial vacuum cleaner.
- ✓ A powerful by-pass motor with independent cooling
- ✓ Simultaneous vacuuming of dust, liquids and solids.
- ✓ Large surface filter for fine dust with integrated manual cleaning system.
- ✓ Easy-to-empty detachable container.

Suction unit

| | | |
|---------------------------|--------|----------------|
| Voltage | V - Hz | 230 - 50 ~ 1 |
| Power | kW | 1,1 |
| Max waterlift | mmH2O | 2.400 |
| Max air flow | m3/h | 180 |
| Relief valve | | Not integrated |
| Noise level (EN ISO 3744) | dB(A) | 76 |

Filtering Unit


| | | |
|-----------------------|---------------------|-------------|
| Primary filter | | Star |
| Surface - Diameter | cm ² -mm | 8.000 - 280 |
| Material - Efficiency | IEC 60335-2-69 | Polyester L |


Collection unit

| | | |
|-------------------|----|-------------------|
| Capacity | lt | 15 |
| Collection system | | Release container |

Encumbrances

| | | |
|------------|----|-----------|
| Dimensions | cm | 43x40x96h |
| Weight | kg | 20 |

APPLICATIONS:  Food, chemical and pharmaceutical industry

 General housekeeping



All data mentioned in this document may change without notice.
Tutti i dati in questo documento potrebbero variare senza preavviso.

www.dupuyvacuums.com
info@dupuy.it

W1 compact and ergonomic industrial vacuum cleaner | DU-PUY

INDUSTRIAL VACUUM CLEANERS

SUCTION UNIT

Suction is generated by one carbon brush by-pass motor activated by independent switches located on a solid metal head that protects the motor from possible blows and ingress of external bodies, keeping the noise level to a minimum.

FILTERING UNIT

The polyester pocket filter is located inside the steel filtering chamber and protects the suction unit, ensuring high dust retention and purity of the exhaust air thanks to its large surface area and high filtration efficiency. A manual cleaning system, consisting of a vertically moving filter shaker, allows the operator to clean the filter effortlessly at any time, extending the filter's life and preventing it from becoming saturated and reducing suction power. The suction system positioned below the filter allows the simultaneous suction of dust, solids and liquids without the need to replace or remove the filter.

COLLECTION UNIT

The steel container is equipped with a quick release system that allows for quick disposal of the vacuumed material.

OPTIONALS

- ✓ Ptfе-treated filter class m
- ✓ Hydro-oleophobic filter class m
- ✓ Hepa absolute filter /h14
- ✓ Stainless steel container and filter chamber
- ✓ Earthing