

# Fumebuster AC – Activated Carbon Welding Vacuum Cleaner

AIR FILTRATION SOLUTIONS



✓ Accessories included, ideal for cleaning professionals.

## Suction Unit

Power supply	V - Hz	400 - 50 3~
Power	kW	1,5
Maximum air flow rate	m3/h	1300
Nozzle	mm	150
Noisiness (EN ISO 3744)	dB(A)	72

## Filter Unit

Cleaning system	Handbook
Filtration efficiency	F9 95%

## Collection unit

Collection container	Painted
Cyclonic unit	Integrated
Exhaust system	Disposable bag

## Encumbrances

Dimensions	cm	65 x 75 x 129h
Weight	kg	131

APPLICATIONS: Mechanical industry Steel mills and foundries

# Fumbuster AC – Activated Carbon Welding Vacuum Cleaner

AIR FILTRATION SOLUTIONS

## **SUCTION UNIT**

---

It is equipped with an electric fan that provides a high airflow, ideal for direct extraction of volatile chips generated by machine tool processes or suspended dust present in work environments.

## **FILTER UNIT**

---

The vacuum cleaner is equipped with a progressive filtration consisting of panel filters with 4 stages of filtration.

## **COLLECTION UNIT**

---

Container made entirely of AISI 316 stainless steel

## **OPTIONALS**

---

- ✓ Local remote start-up
- ✓ Local/remote control
- ✓ Stainless steel chamber