

DEDUST 6 ELF High-performance industrial dust collector for continuous handling of large volumes of air and dust

AIR FILTRATION SOLUTIONS



- ✓ 100% steel construction.
- ✓ Easy-to-empty detachable container.
- ✓ Designed for vacuuming fine airborne dust
- ✓

Suction Unit

Power supply	V - Hz	400 - 50 3~
Power	kW	11/7,5
Maximum depression	mmH2O	350-300 / 320-275
Maximum air flow rate	m3/h	9000-4200 / 7000-3800
Nozzle	mm	1 x 350

Filter Unit

Primary filter		Cartridge
Total filter surface area	cm ²	150.000
Number of cartridges		6
Number diameter cartridges		325
Filter media - class	IEC 60335-2-69	Polyester ANT M
Cleaning system		Automatic PN

Collection unit

Dust capacity	lt	90
Collection system		Release container

Encumbrances

Dimensions	cm	128x185x300h
Weight	kg	820

APPLICATIONS: Mechanical industry Wood and plastic  Food, chemical and pharmaceutical industry



All data mentioned in this document may change without notice.
Tutti i dati in questo documento potrebbero variare senza preavviso.

www.dupuyvacuums.com
info@dupuy.it

DEDUST 6 ELF High-performance industrial dust collector for continuous handling of large volumes of air and dust

AIR FILTRATION SOLUTIONS

SUCTION UNIT

The suction unit is an electric fan that provides the system with a high air flow.

FILTER UNIT

The antistatic polyester stellar filter, placed inside the filter chamber, guarantees a large filtering surface area and high resistance to dust passage and clogging.

COLLECTION UNIT

The steel container is equipped with a quick release system that allows for quick disposal of the vacuumed material.

OPTIONALS

- ✓ Absolute hepa filter h13 efficiency 99.95%
- ✓ Spark trap kit
- ✓ Antistatic filter class m