

DEDUST 24 ELF Industrial dust collector designed for centralized applications

AIR FILTRATION SOLUTIONS



- ✓ 100% steel construction.
- ✓ Easy-to-empty detachable container.
- ✓ Designed for vacuuming fine airborne dust
- ✓

Suction Unit

Maximum air flow rate	m ³ /h	30000
Nozzle	mm	1 x 400/700

Filter Unit

Primary filter		Cartridge
Total filter surface area	cm ²	600.000
Number of cartridges		24
Number diameter cartridges		325
Filter media - class	IEC 60335-2-69	Polyester ANT M
Cleaning system		Automatic PN

Collection unit

Dust capacity	lt	2x90
Collection system		Release container

Encumbrances

Dimensions	cm	287x185x295h
Weight	kg	1800

APPLICATIONS: Mechanical industry Wood and plastic  Food, chemical and pharmaceutical industry

 **DUPUY**

All data mentioned in this document may change without notice.
Tutti i dati in questo documento potrebbero variare senza preavviso.

www.dupuyvacuums.com
info@dupuy.it

DEDUST 24 ELF Industrial dust collector designed for centralized applications

AIR FILTRATION SOLUTIONS

SUCTION UNIT

The suction unit is an electric fan that provides the system with a high air flow.

FILTER UNIT

The antistatic polyester stellar filter, placed inside the filter chamber, guarantees a large filtering surface area and high resistance to dust passage and clogging.

COLLECTION UNIT

The steel container is equipped with a quick release system that allows for quick disposal of the vacuumed material.

OPTIONALS

- ✓ Absolute hepa filter h13 efficiency 99.95%
- ✓ Spark trap kit
- ✓ Antistatic filter class m