DEDUST 10 PRO Industrial dust collector for suspended fine dust

AIR FILTRATION SOLUTIONS



\otimes	100%	steel	construction	
-----------	------	-------	--------------	--

Release container with the possibility of using disposable bags.

Large surface filter for fine dust with integrated manual cleaning system.

 \otimes

Designed for vacuuming fine airborne dust

Suction unit		
Voltage	V - Hz	400 - 50 3~
Power	kW	0,75
Max waterlift	mmH2O	180
Max air flow	m3/h	1.000
Suction inlet	mm	100
Noise level (EN ISO 3744)	dB(A)	70
Filtering Unit		
Primary filter		Star
Surface - Diameter	cm²-mm	20.000 - 420
Material - Efficiency	IEC 60335-2-69	Polyester L
Cleaning system		Manual
Collection unit		
Powder capacity	lt	40
Collection system		Release container
Encumbrances		
Dimensions	cm	71x57x153h
Weight	kg	60

APPLICATIONS: Mechanical industry

Glass Wood and plastic



Food, chemical and pharmaceutical industry



DEDUST 10 PRO Industrial dust collector for suspended fine dust

AIR FILTRATION SOLUTIONS

SUCTION UNIT

It is equipped with an electric fan that provides a high airflow, ideal for direct extraction of volatile chips generated by machine tool processes or suspended dust present in work environments.

FILTERING UNIT

The polyester star filter, placed inside the filter chamber, guarantees a large filtering surface area and high resistance to dust passage and clogging.

OPTIONALS

- Hepa absolute filter /h14
- Antistatic filter class m
- Stainless steel container and filter chamber

