Chipvac 400M chip bucket

INDUSTRIAL VACUUMS









- Large capacity tilting vacuum cleaner for solids and liquids. Designed to make simplify the vacuuming of large quantities of different materials.
- Possibility of turning upside down from 50° to 90° with the help of a forklift truck. Simple and effective DU-PUY patent system.

Suction Unit		
Power supply	V - Hz	230 - 50 1~
Power	kW	3,3 - 2 x 1,6
Maximum depression	mmH2O	2.400 - 3.600
Maximum air flow rate	m3/h	540 - 340
Nozzle	mm	80
Noisiness (EN ISO 3744)	dB(A)	78
Filter Unit		
Primary filter		Pockets
Surface area - diameter	cm^2-mm	14.000 - 420
Filter media - class	IEC 60335-2-69	Polyester L
Cleaning system		Handbook
Collection unit		
Dust capacity	lt	400
Exhaust system		Tipping container
Encumbrances		
Dimensions	cm	133x75x165h
Weight	kg	280

APPLICATIONS: **Mechanical industry** **Glass**

DUPUY

All data mentioned in this document may change without notice.
Tutti i dati in questo documento potrebbero variare senza preavviso.

www.dupuyvacuums.com
info@dupuy.it

Chipvac 400M chip bucket

INDUSTRIAL VACUUMS

SUCTION UNIT

Suction is generated by three carbon brush by-pass motors activated by independent switches located on a solid metal head, soundproofed with sound-absorbing material.

FILTER UNIT

The polyester star filter, placed inside the filter chamber, guarantees a large filtering surface area and high resistance to dust passage and clogging.

COLLECTION UNIT

The vacuum cleaner is mounted on a sturdy metal frame and fitted with heavy-duty industrial wheels for easy manoeuvrability also on uneven surfaces.

OPTIONALS

- Oil-proof seal
- Hydro-oleophobic filter class m
- Oil-chip separation grid

All data mentioned in this document may change without notice.
Tutti i dati in questo documento potrebbero variare senza preavviso.

www.dupuyvacuums.com
info@dupuy.it