

Chipvac 400M chip bucket

INDUSTRIAL VACUUMS



- ✓ Large capacity tilting vacuum cleaner for solids and liquids. Designed to make simplify the vacuuming of large quantities of different materials.
- ✓ Possibility of turning upside down from 50° to 90° with the help of a forklift truck. Simple and effective DU-PUY patent system.

Suction Unit

Power supply	V - Hz	230 - 50 1~
Power	kW	3,3 - 3,9
Maximum depression	mmH2O	2.400 - 3.600
Maximum air flow rate	m3/h	540 - 340
Nozzle	mm	80
Noisiness (EN ISO 3744)	dB(A)	78

Filter Unit

Primary filter		Pockets
Surface area - diameter	cm ² -mm	14.000 - 420
Filter media - class	IEC 60335-2-69	Polyester L
Cleaning system		Handbook

Collection unit

Dust capacity	lt	400
Exhaust system		Tipping container

Encumbrances

Dimensions	cm	133x75x165h
Weight	kg	280

APPLICATIONS: Mechanical industry Glass



All data mentioned in this document may change without notice.
Tutti i dati in questo documento potrebbero variare senza preavviso.

www.dupuyvacuums.com
info@dupuy.it

Chipvac 400M chip bucket

INDUSTRIAL VACUUMS

SUCTION UNIT

Suction is generated by three carbon brush by-pass motors activated by independent switches located on a solid metal head, soundproofed with sound-absorbing material.

FILTER UNIT

The polyester star filter, placed inside the filter chamber, guarantees a large filtering surface area and high resistance to dust passage and clogging.

COLLECTION UNIT

The vacuum cleaner is mounted on a sturdy metal frame and fitted with heavy-duty industrial wheels for easy manoeuvrability also on uneven surfaces.

OPTIONALS

- ✔ Oil-proof seal
- ✔ Hydro-oleophobic filter class m
- ✔ Oil-chip separation grid