WD 3000 AIR compressed air vacuum cleaner

INDUSTRIAL VACUUM CLEANERS









- ✓ Large surface filter for fine dust with integrated manual cleaning system.
- Easy-to-empty detachable container.

Suction unit		
Max waterlift	mmH2O	3.700
Max air flow	m3/h	300 - 150
Suction inlet	mm	50
Air supply	nlt/min (nm³/h)	729 - 1458
Air supply pressure	bar	6
Air supply hose	mm	12
Filtering Unit		
Primary filter		Bag
Surface - Diameter	cm²-mm	8.000 - 400
Material - Efficiency	IEC 60335-2-69	Polyester L
Cleaning system		Manual
Collection unit		
Capacity	lt	60
Collection system		Tilting container
Encumbrances		
Dimensions	cm	72 x 56 x 94h

APPLICATIONS: Sandblasting



General housekeeping



WD 3000 AIR compressed air vacuum cleaner

INDUSTRIAL VACUUM CLEANERS

SUCTION UNIT

Suction is generated by one Venturi air vacuum unit enclosed in a solid steel head containing sound-absorbing material. This minimises noise during operation.

FILTERING UNIT

The polyester bag filter, placed inside the filter chamber, guarantees a large filtering surface area and high resistance to dust passage and clogging.

COLLECTION UNIT

The vacuum cleaner is mounted on a sturdy metal frame and fitted with heavy-duty industrial wheels for easy manoeuvrability also on uneven surfaces.

