MHD AIR industrial vacuum cleaner without electricity

INDUSTRIAL VACUUMS







- Simultaneous vacuuming of dust, liquids and solids.
- Large surface filter for fine dust with integrated manual cleaning system.
- Large capacity detachable container. Forklift intakes.

Suction Unit		
Maximum depression	mmH2O	7.000
Maximum air flow rate	m3/h	760
Noisiness (EN ISO 3744)	dB(A)	79
Air supply	nlt/min (nm^3/h)	2.800 (168)
Filter Unit		
Primary filter		Pockets
Surface area - diameter	cm^2-mm	50.000 - 560
Filter media - class	IEC 60335-2-69	Polyester L
Cleaning system		Handbook
Collection unit		
Capacity	lt	160/120
Collection container		Stainless Steel AISI304
Collection system		Release container
Encumbrances		

APPLICATIONS: Glass | General housekeeping | Food, chemical and pharmaceutical industry | Sandblasting

DUPUY

All data mentioned in this document may change without notice.
Tutti i dati in questo documento potrebbero variare senza preavviso.

www.dupuyvacuums.com
info@dupuy.it

MHD AIR industrial vacuum cleaner without electricity

INDUSTRIAL VACUUMS

SUCTION UNIT

Suction is generated by one Venturi air vacuum unit enclosed in a solid steel head containing sound-absorbing material. This minimises noise during operation.

FILTER UNIT

The filter can be cleaned by means of the integrated mechanical cleaning system: an external filter shaking lever shakes the filter with a vertical movement, ensuring an effective and safe cleaning action, maintaining constant suction power and preventing the dispersion of dust into the environment.

COLLECTION UNIT

The steel container is equipped with a quick release system that allows for quick disposal of the vacuumed material.

OPTIONALS

- Large surface filter cat. m ptfe
- Abrasion proof plate in Hardox steel for filter chamber
- Forklift intakes

All data mentioned in this document may change without notice.
Tutti i dati in questo documento potrebbero variare senza preavviso.

www.dupuyvacuums.com
info@dupuy.it