

# MHD AIR industrial vacuum cleaner without electricity

INDUSTRIAL VACUUMS



- ✓ Simultaneous vacuuming of dust, liquids and solids.
- ✓ Large surface filter for fine dust with integrated manual cleaning system.
- ✓ Large capacity detachable container. Forklift intakes.

## Suction Unit

Maximum depression	mmH2O	7.000
Maximum air flow rate	m3/h	760
Noisiness (EN ISO 3744)	dB(A)	79
Air supply	nlt/min (nm <sup>3</sup> /h)	2.800 (168)

## Filter Unit

Primary filter		Pockets
Surface area - diameter	cm <sup>2</sup> -mm	50.000 - 560
Filter media - class	IEC 60335-2-69	Polyester L
Cleaning system		Handbook

## Collection unit

Capacity	lt	160/120
Collection container		Stainless Steel AISI304
Collection system		Release container

## Encumbrances

APPLICATIONS: Glass  General housekeeping  Food, chemical and pharmaceutical industry  Sandblasting

 **DUPUY**

All data mentioned in this document may change without notice.  
Tutti i dati in questo documento potrebbero variare senza preavviso.

[www.dupuyvacuums.com](http://www.dupuyvacuums.com)  
[info@dupuy.it](mailto:info@dupuy.it)

# MHD AIR industrial vacuum cleaner without electricity

INDUSTRIAL VACUUMS

## **SUCTION UNIT**

Suction is generated by one Venturi air vacuum unit enclosed in a solid steel head containing sound-absorbing material. This minimises noise during operation.

## **FILTER UNIT**

The filter can be cleaned by means of the integrated mechanical cleaning system: an external filter shaking lever shakes the filter with a vertical movement, ensuring an effective and safe cleaning action, maintaining constant suction power and preventing the dispersion of dust into the environment.

## **COLLECTION UNIT**

The steel container is equipped with a quick release system that allows for quick disposal of the vacuumed material.

## **OPTIONALS**

- ✓ Large surface filter cat. m ptfe
- ✓ Abrasion proof plate in Hardox steel for filter chamber
- ✓ Forklift intakes